

## Commercial Air-Auto Dual-Heat Press (Air Compressor Required)

Model No.  
**D-TXA-2-18**

The D-TXA-2-18 commercial air-automatic dual-heat dough press's versatility in that it can be used with dual heat, upper heat only or no heat, makes it the perfect choice for all types of products. The D-TXA-2-18 is press for high volume production. It's heavy duty stainless steel construction and dual push button start make it the fastest and easiest semi-automatic press in the industry. The dough press is an easy, affordable way to improve your production time, as well as your finished product. The D-TXA-2-18 is a swing away design with upper and lower heated platens.

### Dual Heated Platens:

#### Pizza/Tortilla Dough

- speeds up production (faster pressing times)
- enables pressing thinner products
- aids dough flow
- allows dough to be pressed straight from refrigeration unit
- helps keep dough from shrinking back

#### Pizza Dough

- aids in pressing sticky dough
- helps activate yeast for faster proofing if desired
- enables par baking pizza crust

#### Tortilla Dough

- initial grill off for tortillas

### Pressing Tips

#### Tortilla Dough(Pre-Grill)

- Recommended Time:  
1 - 3 seconds
- Recommended Temperature:  
275° - 300°

#### Par Bake Pizza Dough

- Recommended Time:  
Depends on percent par bake desired
- Recommended Temperature:  
225° - 300°

#### Fresh Pizza Dough

- Recommended Time:  
Warm dough, moderate to high yeast....2 seconds  
Cold dough, moderate yeast.....4-6 seconds  
Cold dough, small amount of yeast.....8 seconds
- Recommended Temperature:  
Warm dough....110°F, Cold dough...150°F

### Variable Thickness Control

- makes it possible to achieve desired thickness and ensures consistent thickness at the same dough ball weight



### Production:

- 18" platen allows for making variable crust sizes and thicknesses up to 18 inches - the size of the crust is determined by the weight of the dough ball and the thickness setting.
- depends on the desired size of the crust...  
9" to 18" = 150-200/hr,  
7" to 9" = 300-400/hr,  
6" or under = 600-800/hr

### Finished Product:

- pressed dough keeps air in crust vs. sheeted dough where the air is forced out of the crust. Pressed dough is consistent in thickness and size vs. hand prepared where the thickness and size can be inconsistent

### Labor:

- presses require no skilled labor
- presses are safe and have no age requirements unlike sheeters/rollers

### Use:

- D-TXA-2-18 is easy to use...prepare dough balls, set temp/thickness, place doughball on lower platen, and press the dough.



**doughXpress**

**HIX Corporation Food Division**

Product improvement may require us to change specifications without notice.  
Revised January 2011

**J.D. Honigberg International, Inc.**

155 N. Pfingsten Road, Suite 150

Deerfield, IL 60015 USA

Tel: 847-412-0200 • Fax: 847-412-0034

email: [catering@jdhintl.com](mailto:catering@jdhintl.com) • [www.jdhcatering.com](http://www.jdhcatering.com)

# tortillaXpress pizzaXpress



## Commercial Air-Auto Dual-Heat Press (Air Compressor Required)

Model No.  
**D-TXA-2-18**

### Features Include:

- digital temperature control displays current reading
- digital timer (count down begins automatically when platen lowers and resets after the platen raises)
- full range thickness adjustment from paper thin to 7/8"
- bottom swing out design saves space and is easier to use than top swinging models
- illuminated On/Off switch
- two start buttons for hands clear operation
- heat indicating light that turns off when set temperature is reached
- flattens dough balls into pizzas up to 18" in diameter
- stainless steel exterior with aluminum upper and lower platens
- quick lube fittings for easy maintenance
- sleek, modern, durable, easy to clean design
- emergency stop button

### Optional Feature:

- Non-stick Xylan coated upper and lower platens

### Certifications:

- ETL
- NSF Listed
- ETL Canadian Standard

### Recommended Cleaning Instructions:

- wipe down with a moist towel - if needed, use damp sponge with minimal soap & water and then dry off

### DIMENSIONS

Width: 18 3/16 inches, 46.2 centimeters  
Height: 25-1/8 inches, 63.8 centimeters  
Depth: 24-11/16 inches, 62.7 centimeters

### WEIGHT

Shipping: 235 lbs.

### ELECTRICAL


220 Volt / 60 Hz  
3100 Watts  
15 Amps  
6-20P NEMA Plug

### AIR

100-130 PSI Inlet, 1 CFM  
See Compressor Specifications (Separate).

### TEMPERATURE RANGE

OFF - 450°F, 232°C upper & lower platens



**doughXpress**  
**HIX Corporation Food Division**  
Product improvement may require us to change specifications without notice.  
Revised January 2011

**J.D. Honigberg International, Inc.**  
155 N. Pfingsten Road, Suite 150  
Deerfield, IL 60015 USA  
Tel: 847-412-0200 • Fax: 847-412-0034  
email: [catering@jdhintl.com](mailto:catering@jdhintl.com) • [www.jdhcatering.com](http://www.jdhcatering.com)