pizzaXpress



Model No.

DXE-SS

Commercial Electromechanical Pizza Press

The DXE-SS commercial electromechanical pizza dough press is perfect for high production volumes (150-200/hr). It's heavy duty stainless steel construction and electric motor driven components make it the best semi-automatic press in the industry without the use of hydraulics or accessory air compressor. It is a mess free (no flour needed) alternative to hand tossing or sheeting/rolling your pizza dough. The dough press is an easy, affordable way to improve your production time, as well as your finished product. The DXE-SS is a swing away design with an upper heated platen.

Variable Thickness Control

• makes it possible to acheive desired thickness and ensures consistent thickness at the same dough ball weight

Heated Upper Platen:

- · aids dough flow
- allows dough to be pressed straight from refrigeration unit
- helps keep dough from shrinking back
- keeps dough from sticking to upper platen
- will help activate yeast for faster proofing if desired

Pressing Tips

• Recommended Time: Warm dough, moderate to high yeast....2 seconds Cold dough, moderate yeast......4-6 seconds Cold dough, small amount of yeast......8 seconds

• Recommended Temperature: Warm dough....110°F Cold dough...150°F



Labor:

- presses require no skilled labor unlike hand tossing
- presses are safe and have no age requirements unlike sheeters/rollers

Use:

• DXE-SS is easy to use...prepare dough balls, set temp/thickness, place doughball on lower platen, and press the dough.

Production:

- 18 " platen allows for making variable crust sizes and thicknesses up to 18 inches the size of the crust is determined by the weight of the dough ball and the thickness setting.
- depends on the desired size of the crust...9" to 18" = 150-200/hr, 7" to 9" = 300-400/hr,
 6" or under = 600-800/hr

Finished Product:

• pressed dough keeps air in the crust vs. sheeted dough where the air is forced out of the crust. Pressed dough is consistent in thickness and size vs. hand tossed where the thickness and size can be inconsistent









Product improvement may require us to change specifications without notice.

Revised January 2011

J.D. Honigberg International, Inc.

155 N. Pfingsten Road, Suite 150 Deerfield, IL 60015 USA

Tel: 847-412-0200 • Fax: 847-412-0034

email: catering@jdhintl.com • www.jdhcatering.com

pizzaXpress



Model No. **DXE-SS**

Commercial Electromechanical Pizza Press

Features Include:

- digital temperature control displays current reading
- digital timer (count down begins automatically when platen lowers and resets after the platen is raises)
- full range thickness adjustment from paper thin to 7/8"
- · bottom swing out design saves space and is easier to use than top swinging models
- illuminated On/Off switch
- two start buttons for hands clear operation
- heat indicating light that turns off when set temperature is reached
- flattens dough balls into pizzas up to 18" in diameter
- stainless steel exterior with aluminum upper and lower platens
- sleek, modern, durable, easy to clean design
- emergency stop button

Optional Feature:

• Non-stick Xylan coated upper and lower platens

Certifications:

- ETL
- NSF Listed
- ETL Canadian Standard

Recommended Cleaning Instructions:

• wipe down with a moist towel - if needed, use damp sponge with minimal soap & water and then dry off

DIMENSIONS

Width: 18 3/16 inches, 46.2 centimeters Height: 25-1/8 inches. 63.8 centimeters Depth: 24-11/16 inches, 62.7 centimeters

WEIGHT

Shipping: 250 lbs


ELECTRICAL


120 Volt / 60 Hz 1200 Watts 10 Amps


Standard 5-15P NEMA Plug


TEMPERATURE RANGE

OFF - 200°F, 93.3°C upper platen













HIX Corporation Food Division Product improvement may require us to change specifications without notice.

Revised January 2011

J.D. Honigberg International, Inc.

155 N. Pfingsten Road, Suite 150

Deerfield, IL 60015 USA

Tel: 847-412-0200 • Fax: 847-412-0034

email: catering@jdhintl.com • www.jdhcatering.com